

## Hit List

Clear	Generate Collection	Print	Fwd Refs	Blwd Refs
Generate OACS				

Search Results - Record(s) 1 through 3 of 3 returned.

☐ 1. Document ID: US 6571295 B1

L5: Entry 1 of 3

File: USPT

May 27, 2003

DOCUMENT-IDENTIFIER: US 6571295 B1

**\*\* See image for Certificate of Correction \*\***

TITLE: Web page annotating and processing

Brief Summary Text (9):

The redirector next retrieves the HTML for the specified Web document from an appropriate document server, replaces any URLs in the HTML with its own URL, and saves the replaced URLs. If the user previously had made any annotations or had added any other custom information to the Web document, the annotations and/or other custom information were stored in the redirector at that time. The redirector modifies the HTML of the requested document to include any previously added annotations, if the user wants such annotations displayed. The redirector also modifies the HTML so that various input forms for allowing user input (such as "buttons", text boxes, etc.) will be displayed by the browser. The HTML for the document, the HTML for the input forms, and the HTML for the annotations are collectively termed "augmented HTML." The augmented HTML is then sent to the browser, which displays the document along with the input forms and (possibly) any annotations previously added by the user.

Current US Original Classification (1):

709/246

Current US Cross Reference Classification (1):

709/203

Current US Cross Reference Classification (2):

709/217

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KOMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

☐ 2. Document ID: US 6397246 B1

L5: Entry 2 of 3

File: USPT

May 28, 2002

DOCUMENT-IDENTIFIER: US 6397246 B1

**\*\* See image for Certificate of Correction \*\***

TITLE: Method and system for processing document requests in a network system

Detailed Description Text (28):

Preferred embodiments were described with respect to presenting a substitute ADFILE before the user could retrieve the file at the requested URL. However, in alternative embodiments, the ADFILE may be presented to the client 8 after the web page at the requested URL is provided to the user or at some other moment in processing the client request.

Current US Original Classification (1):709/217Current US Cross Reference Classification (1):709/224Current US Cross Reference Classification (2):709/225Current US Cross Reference Classification (3):709/228

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw D.
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

☐ 3. Document ID: US 6081829 A

L5: Entry 3 of 3

File: USPT

Jun 27, 2000

DOCUMENT-IDENTIFIER: US 6081829 A

TITLE: General purpose web annotations without modifying browser

Brief Summary Text (9):

The redirector next retrieves the HTML for the specified Web document from an appropriate document server, replaces any URLs in the HTML with its own URL, and saves the replaced URLs. If the user previously had made any annotations or had added any other custom information to the Web document, the annotations and/or other custom information were stored in the redirector at that time. The redirector modifies the HTML of the requested document to include any previously added annotations, if the user wants such annotations displayed. The redirector also modifies the HTML so that various input forms for allowing user input (such as "buttons", text boxes, etc.) will be displayed by the browser. The HTML for the document, the HTML for the input forms, and the HTML for the annotations are collectively termed "augmented HTML" The augmented HTML is then sent to the browser, which displays the document along with the input forms and (possibly) any annotations previously added by the user.

Current US Original Classification (1):709/203

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw D.
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

Clear	Generate Collection	Print	Fwd Refs	Blkwd Refs	Generate OACS
-------	---------------------	-------	----------	------------	---------------

--	--

Term	Documents
RETRIEVE	65309
RETRIEVES	36825
URL	10083
URLS	3230
REPLACES	0
REPLACE	178799
REPLACEAABLE	1
REPLACEABALE	1
REPLACEABE	1
REPLACEABIE	1
REPLACEABILITY	790
(L1 AND (RETRIEVE WITH URL WITH (REPLACES OR SUBSTITUTE\$))).USPT.	3

[There are more results than shown above. Click here to view the entire set.](#)

Display Format:

KWIC

Change Format

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)

## Freeform Search

---

<b>Database:</b>	<div style="border: 1px solid black; padding: 2px;">         US Pre-Grant Publication Full-Text Database          US Patents Full-Text Database          US OCR Full-Text Database          EPO Abstracts Database          JPO Abstracts Database          Derwent World Patents Index          IBM Technical Disclosure Bulletins       </div>
<b>Term:</b>	<div style="border: 1px solid black; padding: 2px;">         L1 and (retrieve with URL with (replace\$ or substitute\$))       </div>
<b>Display:</b>	<div style="border: 1px solid black; padding: 2px;">10</div> Documents in <b>Display Format:</b> <div style="border: 1px solid black; padding: 2px;">KWIC</div> Starting with Number <div style="border: 1px solid black; padding: 2px;">1</div>
<b>Generate:</b> <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

---

Search

Clear

Interrupt

---

### Search History

---

DATE: Monday, May 23, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L5</u>	L1 and (retrieve with URL with (replace\$ or substitute\$))	3	<u>L5</u>
<u>L4</u>	L1 and ((redirect\$) and (retrieve with URL with (replace\$ or substitute\$)))	2	<u>L4</u>
<u>L3</u>	L1 and ((redirect\$) and (retrieve with URL))	117	<u>L3</u>
<u>L2</u>	L1 and (redirect\$ with because)	0	<u>L2</u>
<u>L1</u>	709/\$.ccls.	17870	<u>L1</u>

END OF SEARCH HISTORY